



SMART SERIES BROCHURE ADDITION

CHOOSE YOUR CONTROL PANEL

BASIC PANEL (INCLUDED IN MACHINE PRICE)

Features:

- 1. AB Micrologix 1000 PLC
- 2. Turntable rotation speed adjustable 0 12 RPM 8. Top & bottom wrap selector 1 3
- 3. Carriage up/down speed adjustment
- 4. Film tension adjustment
- 5. Reinforced wrap
- 6. Manual turntable rotation

- 7. Manual mode carriage up/down
- 9. Autoheight sensing photoeye on/off
- 10. Start/stop push button
- 11. Power on light
- 12. Emergency stop push/pull



STANDARD PANEL—ALLOWS FOR SOME OPTIONS AND MINOR PROGRAM CHANGES

Features:


- 1. AB Micrologix 1200 PLC
- 2. Separate top and bottom wrap selectors 0-9
- 3. Film tension adjustment
- 4. Turntable rotation speed adjustment
- 5. Separate up/down carriage speeds
- 6. Spiral up, spiral up/down
- 7. Manual mode carriage up/down
- 8. Top cover on/off switch (splash-proof program)
- 9. Reinforced wrap
- 10. Manual Turntable rotation
- 11. Autoheight sensing photoeye on/off
- 12. Start/stop push button
- 13. Power on light
- 14. Emergency stop push/pull



DELUXE PANEL—ALLOWS FOR A FULL RANGE OF OPTIONS AND PROGRAM CHANGES

Features:

- 1. AB Micrologix 1200 PLC
- 2. Panel View 600 Plus touch screen
- 3. All standard panel features described above
- 4. Loads per hour counter
- 5. Non-resettable cycle counter
- 6. 6 pre-set wrap programs
- 7. Maintenance screen
- 8. Alarm screen, troubleshooting guide and much more...







SMART SERIES BROCHURE ADDITION

OPTIONS AVAILABLE

HEIGHT EXTENSION OPTIONS	
1.	Increase wrap height to 92"
2.	Increase wrap height to 104"
3.	Increase wrap height to 116"
4.	Increase wrap height to 128"

CONTROL PANEL OPTIONS

- Upgrade to STANDARD control panel (see next page for complete description)
- Upgrade to DELUXE control panel 2.
- 2. (see next page for complete description)

CARRIAGE OPTIONS

- 1. Upgrade to 30" NO-THREAD powered pre-stretch carriage
- 2. 20" hydraulic carriage (No pre-stretch) to replace standard carriage
- 3. 30" hydraulic carriage (No pre-stretch) to replace standard carriage

OTHER OPTIONS

- 1. Smart Loading Ramp (Ramp option for Low-Profile stretch wrappers only)
- 2. Background Suppression Photoeye for dark or shiny loads autoheight detection
- Power Transformer required for unit to be a voltage other than 120V/1/60
- 4. Pull cord to start and stop cycle

To see more options, visit our Web site at: www.wulftec.com

WE FEAR NO PACKAGING CHALLENGE

Selected Combinations & Technical Information Low Profile Turntables

SML-150-B


- 58" octagonal base turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Basic control panel

SML-150-S



- 58" octagonal base turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Standard control panel

SML-150-D



- 58" octagonal base turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Deluxe control panel

SML-277-B




- 77" Oversized turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Basic control panel

SML-277-S



- 77" Oversized turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Standard control panel

SML-277-D




- 77" Oversized turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Deluxe control panel

SML-200-B



- 65" Standard turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Basic control panel

SML-200-S




- 65" Standard turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Standard control panel

SML-200-D




- 65" Standard turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Deluxe control panel

SML-EXT-B




- 2 ft extension turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Basic control panel

SML-EXT-S



- 2 ft extension turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Standard control panel

SML-EXT-D



- 2 ft extension turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Deluxe control panel

PAGE

Selected Combinations & Technical Information High Profile Turntables

SMH-150-B

- 51" octagonal turntable with rounded corners
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Basic control panel



- 51" octagonal turntable with rounded corners
 - 80" Wrap height
 - 20" NO-THREAD® powered pre-stretch carriage
 - Standard control panel



- 130-B
 - rounded corners
 - 80" Wrap height
 - 20" NO-THREAD® powered pre-stretch carriage

51" octagonal turntable with

Deluxe control panel



- 51" Split base turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Basic control panel



- 51" Split base turntable
 - 80" Wrap height
 - 20" NO-THREAD® powered pre-stretch carriage
 - Standard control panel





- 51" Split base turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Deluxe control panel

SMH-200-B



- 51" Standard turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Basic control panel

SMH-200-S



SMH-200

- 51" Standard turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Standard control panel

SMH-200-D



- 51" Standard turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Deluxe control panel

SMH-HVY-B



- 51" extra heavy-duty turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Basic control panel

SMH-HVY-S



- 51" extra heavy-duty turnta-
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Standard control panel

SMH-HVY-D



- 51" extra heavy-duty turntable
- 80" Wrap height
- 20" NO-THREAD® powered pre-stretch carriage
- Deluxe control panel

PAGE